



## Certificate of Analysis

Compliance Test

### Client Information:

**Indomira**

2305 Ashland St  
Suite 104-360

Ashland, OR 97520

Order # LAU250616-050001

Order Date: 2025-06-16

Sample # AAGV125

Batch # BK-25-205

Batch Date: 2025-06-16

Extracted From: INDUSTRIAL HEMP

Test Reg State: Florida

Sampling Date: 2025-06-18

Lab Batch Date: 2025-06-18

Completion Date: 2025-06-26

Initial Gross Weight: 27.137 g



Product Image



Potency  
Tested



### Potency 10

Specimen Weight: 100.820 mg

### Tested

SOP13.001 (LCUV)

Analyte	LOD (mg/g)	LOQ (%)	Result (mg/g)	(%)
CBD	5.40E-5	0.015	55.880	5.588
CBC	1.80E-5	0.015	2.110	0.211
Delta-9 THC	1.30E-5	0.015	1.720	0.172
CBDA	1.00E-5	0.015	1.480	0.148
CBG	2.48E-4	0.015	1.260	0.126
CBN	1.40E-5	0.015	0.430	0.043
CBDV	6.50E-5	0.015	<LOQ	<LOQ
CBGA	8.00E-5	0.015	<LOQ	<LOQ
THCA-A	3.20E-5	0.015	<LOQ	<LOQ
THCV	7.00E-6	0.015	<LOQ	<LOQ
Total Active CBD			57.178	5.718
Total Active THC			1.720	0.172



### Potency Summary

Total Active THC  
0.172%

Total Active CBD  
5.718%

Total CBG  
0.126%

Total CBN  
0.043%

Total Cannabinoids  
6.288%

*Aixia Sun*  
Aixia Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A \* 0.877), \*Total CBDV = CBDV + (CBDVA \* 0.867), Total Active THC = THCA-A \* 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA \* 0.87), CBG Total = (CBGA \* 0.878) + CBG, CBN Total = (CBNA \* 0.876) + CBN, Total CBC = CBC + (CBCA \* 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. The results apply to the sample as received.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.