kaycha LABS
540 E Vilas Rd Suite F
Central Point, OR, 97502, US

Kaycha Labs
Inflamma Caps INF-21703E
N/A
Sample Type: Ingestible

Certificate of Analysis

Sample:CE10922006-001
Harvest/Lot ID: 6510IHH-INF2103
Metrc #: N/A
Metrc Source Package #: N/A
Batch Date: 09/21/21
Batch#: INF-21703E
Sample Size Received: 9.69 gram
Total Weight/Volume: 10915 gram gram
Retail Product Size: 1.6 gram
Ordered : 09/22/21
sampled : 09/22/21
Completed: 09/24/21 Expires: 09/24/22
Sampling Method: SOP-024

Sep 24, 2021 | Indomira/Green Earth Medicinals

License # ODA
2305 Ashland St, Ste C360
Ashland, OR, 97520, US

PRODUCT IMAGE

SAFETY RESULTS

Pesticides	Heavy Metals	Microbials	Mycotoxins	Residuals Solvents	Filth	Water Activity	Moisture	Homogeneity
NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED

MISC.

Terpenes
NOT TESTED

CANNABINOID RESULTS

Total THC
0.046%

Total CBD
2.358%

Total Cannabinoids
2.61%

	CBDV	CBDVA	CBG	CBD	CBDA	THCV	CBGA	CBN	D9-THC	D8-THC	THCVA	CBC	THCA	CBCA
%	<LOQ	<LOQ	0.041	2.284	0.084	<LOQ	<LOQ	<LOQ	0.046	<LOQ	<LOQ	0.153	<LOQ	<LOQ
mg/g	<LOQ	<LOQ	0.41	22.84	0.84	<LOQ	<LOQ	<LOQ	0.46	<LOQ	<LOQ	1.53	<LOQ	<LOQ
LOQ	0.002 %	0.002 %	0.002 %	0.002 %	0.002 %	0.002 %	0.002 %	0.002 %	0.002 %	0.002 %	0.002 %	0.002 %	0.002 %	0.002 %

Cannabinoid Profile Test

Analyzed by	Weight	Extraction date :	Extracted By :
11	1.03g	09/23/21 04:09:23	13

Analysis Method -SOP.T.40.020, SOP.T.30.050
Reviewed On - 09/24/21 11:31:32
Batch Date : 09/23/21 16:17:04
Analytical Batch -CE000372POT
Instrument Used : HPLC 2030 EID 005 - Low Concentration
Running On :

Reagent	Dilution	Consums. ID	Consums. ID
091721.11	40	D01493069 32009E-1232 436020160AS3 436020338AS2 436021005AS3 C0000642 041CD-041C 042C4-042AL	F148560 0325891

"Total THC" and "Total CBD" are calculated values and are an Oregon reporting requirement (OAR 333-064-0100). For Cannabinoid analysis, only delta 9-THC, THCA, CBD, CBDA are ORELAP accredited analytes. Cannabinoid values reported for plant matter are dry weight corrected; Instrument LOQ for all cannabinoids is 0.5 mg/mL, LOQ 'in matrix' is dependent on extraction parameters. FD = Field Duplicate; LOQ = Limit of Quantitation.

Anthony Smith
Lab Director
State License # 010-10166277B9D
ISO Accreditation # 99861

Signature

09/24/21
Signed On

kaycha LABS
540 E Vilas Rd Suite F
Central Point, OR, 97502, US

Kaycha Labs

Inflamma Caps INF-21703E
N/A
Sample Type : Ingestible

POTENCY BATCH QC REPORT

METHOD BLANK

Cannabinoid	LOQ	Result	Units
CBDV_WET	0.002	<LOQ	%
CBDVA_WET	0.002	<LOQ	%
THCV_WET	0.002	<LOQ	%
CBD_WET	0.002	<LOQ	%
CBG_WET	0.002	<LOQ	%
CBDA_WET	0.002	<LOQ	%
CBN_WET	0.002	<LOQ	%
CBGA_WET	0.002	<LOQ	%
THCVA_WET	0.002	<LOQ	%
D9-THC_WET	0.002	<LOQ	%
D8-THC_WET	0.002	<LOQ	%
CBC_WET	0.002	<LOQ	%
THCA_WET	0.002	<LOQ	%
CBC-A_WET	0.002	<LOQ	%
TOTAL CANNABINOIDS	0.002	<LOQ	%
TOTAL CBD	0.002	<LOQ	%
TOTAL THC	0.002	<LOQ	%
CBDV	0.002	<LOQ	%
CBDVA	0.002	<LOQ	%
CBG	0.002	<LOQ	%
CBD	0.002	<LOQ	%
CBDA	0.002	<LOQ	%
THCV	0.002	<LOQ	%
CBGA	0.002	<LOQ	%
CBN	0.002	<LOQ	%
D9-THC	0.002	<LOQ	%
D8-THC	0.002	<LOQ	%
THCVA	0.002	<LOQ	%
CBC	0.002	<LOQ	%
THCA	0.002	<LOQ	%
CBCA	0.002	<LOQ	%

Analytical Batch - CE000372POT
Instrument Used : HPLC 2030 EID 005 - Low Concentration

LCS

Cannabinoid	LOQ	Recovery	Units	Recovery Limits
CBG_WET	0.002	102.5	%	70-130
CBD_WET	0.002	97.8	%	70-130
CBDA_WET	0.002	97.6	%	70-130
THCV_WET	0.002	103.1	%	70-130
CBGA_WET	0.002	95.2	%	70-130
CBN_WET	0.002	102.6	%	70-130
D9-THC_WET	0.002	101.5	%	70-130
CBC_WET	0.002	101.7	%	70-130
THCA_WET	0.002	99.1	%	70-130
CBC-A_WET	0.002	105	%	70-130

Analytical Batch - CE000372POT
Instrument Used : HPLC 2030 EID 005 - Low Concentration

Anthony Smith
Lab Director
State License # 010-10166277B9D
ISO Accreditation # 99861

Signature

09/24/21
Signed On

kaycha LABS
540 E Vilas Rd Suite F
Central Point, OR, 97502, US

Kaycha Labs
Inflamma Caps INF-21703E
N/A
Sample Type: Ingestible

Certificate of Analysis

Sample:CE10922006-001
Harvest/Lot ID: 6510IHH-INF2103
Metrc #: N/A
Metrc Source Package #: N/A
Batch Date: 09/21/21
Batch#: INF-21703E
Sample Size Received: 9.69 gram
Total Weight/Volume: 10915 gram gram
Retail Product Size: 1.6 gram
Ordered : 09/22/21
sampled : 09/22/21
Completed: 09/24/21 Expires: 09/24/22
Sampling Method: SOP-024

Sep 24, 2021 | Indomira/Green Earth Medicinals
License # ODA
2305 Ashland St, Ste C360
Ashland, OR, 97520, US

INDOMIRA
Green Earth Medicinals

Cannabinoid Potency Batch Quality Report:

OLCC/ODA Control Study ID:

Sample	Lab ID	Total THC* (mg/g)	Total CBD* (mg/g)
Inflamma Caps INF-21703E	CE10922006-001	0.46	23.58
Inflamma Caps INF-21703E FD	CE10922006-002	0.47	23.43
	Average	0.47	23.51
	RPD	*2.15%*	*0.64%*
	RPD Status:	***PASS***	

Max Total THC† <	31.3	mg/g	<50 mg†/1.6g unit
Max allowable Total THC <	34.4	mg/g	<55 mg/1.6g unit
Highest measured	0.47	mg/g	
Average Total THC	*0.47*	mg/g	
Total THC per unit status	***PASS***		

Average Total THC per unit of sale:	0.7	mg/ unit
Average Total CBD per unit of sale:	37.61	mg/ unit

Analytical batch ID: 372POT

kaycha LABS
540 E. Vilas Rd., Suite F
Central Point, OR 97502
www.kaychalabs.com
541.668.7444

Anthony Smith, Ph.D

* "Total THC" and "Total CBD" are calculated values and are an Oregon reporting requirement (OAR 333-064-0100).
† OAR 333.007-0210 Retail adult use cannabis concentration and serving limits. These are *maxumum* and *maximum allowable* (+10%) Total THC limits for concentration (mg/g) based on your certified CS retail unit mass, not the declared target THC from the CS.

KML Laboratories, Inc.

261 Great Northern Road
Bonners Ferry, Idaho 83805
Phone: 208-267-0818
Fax: 208-267-0878
Email: Info@kmlmicro.com

Certificate of Analysis

Green Earth Medicinals
2305 Ashland St, Suite C360
Ashland, OR 97520
Phone: 888-620-1110
Fax:

Invoice Number: 21.1220
PO Number: 092221
Received Date: 09/29/2021
Number of Samples: 01
Project Name: Routine Testing

Microbiology Report:

Lab #: 21-9778	Sample Lot: INF-21703E	Sample Date: 09/22/2021
Sample Name: Inflamma Caps	Additional ID:	Plated Date: 09/29/2021
Qualifying Material Number: No QM		

Test Performed	Results	Units	Detection Limit	Method	Date Analyzed
Aerobic Plate Count	155	cfu/g	10	USP 43-NF 38 <2021>	10/02/2021
Coliforms	nd	cfu/g	10	Bam C4 sec G	09/30/2021
E. *coli*	absent	P/A	1	USP 43-NF 38 <2022>	10/02/2021
Staph *aureus*	absent	P/A	1	USP 43-NF 38 <2022>	10/02/2021
Yeast	nd	cfu/g	10	USP 43-NF 38 <2021>	10/04/2021
Mold	nd	cfu/g	10	USP 43-NF 38 <2021>	10/04/2021
Salmonella	absent	P/A	1	USP 43-NF 38 <2022>	10/03/2021
Pseudo. *aeruginosa*	absent	P/A	1	USP 43-NF 38 <m62>	10/02/2021

Approved By: QA Director SMV 10/04/2021

AT-1805

Note: On this date, this material met the specifications designated above, and is **not known if statistically representative of the lot evaluated on a routine basis**. This information is not intended to relieve the purchaser from its responsibility to determine the suitability of this material for purchaser's purposes, to comply with all laws and regulations regarding the safe use of this material. nd = none detected above the listed detection limit

F10-0817 G Ref SOP 01-023

KML Laboratories, Inc.

261 Great Northern Road
Bonners Ferry, Idaho 83805
Phone: 208-267-0818
Fax: 208-267-0878
Email: Info@kmlmicro.com

Certificate of Analysis

Green Earth Medicinals
2305 Ashland St, Suite C360
Ashland, OR 97520
Phone: 888-620-1110
Fax:

Invoice Number: 21.1220
PO Number: 092221
Received Date: 09/29/2021
Number of Samples: 01
Project Name: Routine Testing

Microbiology Report:

Lab #: Control 09292021	Additional ID: Negative Control Purposes	Plated Date: 09/29/2021
Sample Name: Control 09292021		
Qualifying Material Number: QM-06-001		

Test Performed	Results	Units	Detection Limit	Method	Date Analyzed
Aerobic Plate Count	nd	cfu/ml	10	USP 43-NF 38 <2021>	10/02/2021
Coliforms	nd	cfu/ml	10	Bam C4 sec G	09/30/2021
E. *coli*	absent	P/A	1	USP 43-NF 38 <2022>	10/02/2021
Staph *aureus*	absent	P/A	1	USP 43-NF 38 <2022>	10/02/2021
Yeast	nd	cfu/ml	10	USP 43-NF 38 <2021>	10/04/2021
Mold	nd	cfu/ml	10	USP 43-NF 38 <2021>	10/04/2021
Salmonella	absent	P/A	1	USP 43-NF 38 <2022>	10/03/2021
Pseudo. *aeruginosa*	absent	P/A	1	USP 43-NF 38 <m62>	10/02/2021

Approved By: QA Director SMV 10/04/2021

AT-1805

Note: On this date, this material met the specifications designated above, and is **not known if statistically representative of the lot evaluated on a routine basis**. This information is not intended to relieve the purchaser from its responsibility to determine the suitability of this material for purchaser's purposes, to comply with all laws and regulations regarding the safe use of this material. nd = none detected above the listed detection limit

F10-0817 G Ref SOP 01-023