

540 E Vilas Rd Suite F Central Point, OR, 97502, US

Certificate of Analysis

Kaycha Labs

CBD Oral Drops Spearmint

N/A

Sample Type: Other Edible Product



Sample: CE20330001-001 Harvest/Lot ID: N/A

Batch#: RDC-228011

Metrc Source Package #: N/A Metrc #: N/A

Batch Date: N/A

Sample Size Received: 10 gram

Total Weight/Volume: N/A Retail Product Size: N/A gram

Sampling Method: SOP-024

ordered: 03/30/22

sampled: 03/30/22 Completed: 04/04/22 Expires: 04/04/23

Page 1 of 2

Apr 04, 2022 | Indomira/Green Earth Medicinals

License # R&D 2305 Ashland St, Ste C360 Ashland, OR, 97520, US



SAFETY RESULTS









CBDA

0.0679

0.002





INDOMIRA

Residuals Solvents











TESTED



Cannabinoid

Total THC 0.0508%




Total CBD 2.1199%



Total Cannabinoids 2.3366%





LOQ	0.002	0.00	
	%	%	

ND

mg/g LOO

Cannabinoid Profile Test

Analysis Method -SOP.T.40.020, SOP.T.30.050

ND

0.002

Extraction date 03/31/22 01:03:42

THCV

ND

ND

0.002

CBGA

0.002

ND

Instrument Used: HPLC 2030 EID 005 - Low Concentration Running On:

D9-THC CBN D8-THC ND 0.0508 ND ND

0.002

0.002

Signature

ND 0.1319 0.002

THCVA

ND 0.002 0.002

THCA

0.002

CBCA

ND

Analyzed by

Analytical Batch -CE000963POT

0.948g

0.0256

0.002

2.0604

0.002

Reviewed On - 04/01/22 15:12:08

0.002

Extracted By:

CBC

Batch Date: 03/31/22 13:19:37

Dilution: 820

Reagent: 032922.R01; 010322.09; 021022.09; 090121.06: 120920.02

Consumables: 21/07/20; 210317; 436021062AS2 436020160AS3 436020338AS2; 22008167; ASC000G11324BSF; 12315-120CC-120D; 101C4-101AL; 00280879 00319401-06; 2132 81421

"Total THC" and "Total CBD" are calculated values and are an Oregon reporting requirement (OAR 333-064-0100). For Cannabinoid analysis, only delta 9-THC, THCA, CBD, CBDA are ORELAP accredited analytes. Cannabinoid values reported for plant matter are dry weight corrected; Instrument LOQ for all cannabinoids is 0.5 mg/mL, LOQ 'in matrix' is dependent on extraction parameters. FD = Field Duplicate; LOQ = Limit of Quantitation.

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on OAR 333-007, OAR 845.525

Anthony Smith

State License # 010-10166277B9D ISO Accreditation # 99861

04/04/22

Signed On



Central Point, OR, 97502, US

Kaycha Labs

CBD Oral Drops Spearmint





POTENCY BATCH QC REPORT

Page 2 of 2



METHOD BLANK

Cannabinoid	LOQ	Result	Units
D9-THC_WET	0.002	0	%
THCA_WET	0.002	0	%
CBD_WET	0.002	0	%
CBDA_WET	0.002	0	%
CBN_WET	0.002	0	%
CBDV_WET	0.002	0	%
D8-THC_WET	0.002	0	%
THCV_WET	0.002	0	%
CBG_WET	0.002	0	%
CBGA_WET	0.002	0	%
CBC_WET	0.002	0	%
CBDVA_WET	0.002	0	%
THCVA_WET	0.002	0	%
CBC-A_WET	0.002	0	%

Analytical Batch - CE000963POT

Instrument Used: HPLC 2030 EID 005 - Low Concentration



LCS

Cannabinoid	LOQ	Recovery	Units	Recovery Limits
CBG_WET	0.002	95.1	%	80-120
CBD_WET	0.002	97.8	%	80-120
CBDA_WET	0.002	99.2	%	80-120
THCV_WET	0.002	106.6	%	80-120
CBGA_WET	0.002	96.6	%	80-120
CBN_WET	0.002	96.3	%	80-120
D9-THC_WET	0.002	96.9	%	80-120
CBC_WET	0.002	97.9	%	80-120
THCA_WET	0.002	94	%	80-120
CBC-A_WET	0.002	98.7	%	80-120

Analytical Batch - CE000963POT

Instrument Used: HPLC 2030 EID 005 - Low Concentration

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Nto Tebeteted, NA=Not Analyzed, ppm=Parts Per Million, pplb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on OAR 333-007, OAR 845-025.

Anthony Smith

State License # 010-10166277B9D ISO Accreditation # 99861

Signature

04/04/22

Signed On

KML Laboratories, Inc.



261 Great Northern Road Bonners Ferry, Idaho 83805 Phone: 208-267-0818 Fax: 208-267-0878

Email: Info@kmlmicro.com

Certificate of Analysis

Green Earth Medicinals 2305 Ashland St, Suite C360 Ashland, OR 97520

Phone: 888-620-1110

Fax:

Invoice Number: 22.0410 PO Number: 03/20/22 Received Date: 04/01/2022 Number of Samples: 01

Project Name: **Routine Testing**

Microbiology Report:

Lab #: 22-3015	Sample Lot: RDC-228011	Sample Date: 03/30/2022
Sample Name: CBD Oral Drops Spearmint	Additional ID:	Plated Date: 04/01/2022
Qualifying Material Number: No OM		

Test Performed	Results	Units D	Detection Limit	Method	Date Analyzed
Aerobic Plate Count	nd	cfu/ml	10	USP 43-NF 38 <2021>	04/04/2022
Coliforms	nd	cfu/ml	10	Bam C4 sec G	04/02/2022
E. coli	absent	P/A	1	USP 43-NF 38 <2022>	04/04/2022
Staph aureus	absent	P/A	1	USP 43-NF 38 <2022>	04/04/2022
Yeast	nd	cfu/ml	10	USP 43-NF 38 <2021>	04/06/2022
Mold	nd	cfu/ml	10	USP 43-NF 38 <2021>	04/06/2022
Salmonella	absent	P/A	1	USP 43-NF 38 <2022>	04/05/2022
Pseudo. aeruginosa	absent	P/A	1	USP 43-NF 38 <m62></m62>	04/04/2022

300 Mering Companies with Res Approved By: QA Director SMV 04/06/202



Page **1** of **2**

This Certificate/Report shall not be reproduced, except in full, without the prior written consent of KML Laboratories, Inc. This report may include work not covered by KML's current ISO accreditation as indicated by ‡.

AT-1805

Note: On this date, this material met the specifications designated above, and is not known if statistically representative of the lot evaluated on a routine basis. This information is not intended to relieve the purchaser from its responsibility to determine the suitability of this material for purchaser's purposes, to comply with all laws and regulations regarding the safe use of this material. nd = none detected above the listed detection limit

KML Laboratories, Inc.



261 Great Northern Road Bonners Ferry, Idaho 83805 Phone: 208-267-0818 Fax: 208-267-0878

Email: Info@kmlmicro.com

Certificate of Analysis

Green Earth Medicinals 2305 Ashland St, Suite C360 Ashland, OR 97520

Phone: 888-620-1110

Fax:

Invoice Number: 22.0410 PO Number: 03/20/22 Received Date: 04/01/2022 Number of Samples: 01

Project Name: **Routine Testing**

Microbiology Report:

Lab #: Control 04012022	Additional ID: Negative Control Purposes	Plated Date: 04/01/2022
Sample Name: Control 04012022		
Qualifying Material Number: QM-06-001		

Test Performed	Results	Units	Detection Limit	Method	Date Analyzed
Aerobic Plate Count	nd	cfu/ml	10	USP 43-NF 38 <2021>	04/04/2022
Coliforms	nd	cfu/ml	10	Bam C4 sec G	04/02/2022
E. coli	absent	P/A	1	USP 43-NF 38 <2022>	04/04/2022
Staph aureus	absent	P/A	1	USP 43-NF 38 <2022>	04/04/2022
Yeast	nd	cfu/ml	10	USP 43-NF 38 <2021>	04/06/2022
Mold	nd	cfu/ml	10	USP 43-NF 38 <2021>	04/06/2022
Salmonella	absent	P/A	1	USP 43-NF 38 <2022>	04/05/2022
Pseudo. aeruginosa	absent	P/A	1	USP 43-NF 38 <m62></m62>	04/04/2022

200 Wering Companies with Approved By: QA Director SMV 04/06/2022



Malter

Page 2 of 2

This Certificate/Report shall not be reproduced, except in full, without the prior written consent of KML Laboratories, Inc. This report may include work not covered by KML's current ISO accreditation as indicated by ‡.



AT-1805

Note: On this date, this material met the specifications designated above, and is not known if statistically representative of the lot evaluated on a routine basis. This information is not intended to relieve the purchaser from its responsibility to determine the suitability of this material for purchaser's purposes, to comply with all laws and regulations regarding the safe use of this material. nd = none detected above the listed detection limit