



# Certificate of Analysis

Sample: CE20915003-001

Harvest/Lot ID: N/A

Batch#: TCC-22804

Metric Source Package #: N/A

Metric #: N/A

Batch Date: N/A

Sample Size Received: 30 gram

Total Batch Size: N/A

Retail Product Size: N/A gram

Ordered: 09/15/22

Sampled: 09/15/22

Completed: 09/20/22

Sampling Method: SOP.T.20.010.OR; ORELAP  
SOP-001 & -002; or Client Sampled

Page 1 of 2

Sep 20, 2022 | Indomira/Green Earth  
Medicinals











License # Indomira

2305 Ashland St, Ste C360  
Ashland, OR, 97520, US



PRODUCT IMAGE SAFETY RESULTS MISC.



|  |  |  |  |  |   |  |  |   |  |
|--|--|--|--|--|---|--|--|---|--|
| <br>Pesticides<br>NOT TESTED | <br>Heavy Metals<br>NOT TESTED | <br>Microbials<br>NOT TESTED | <br>Mycotoxins<br>NOT TESTED | <br>Residuals Solvents<br>NOT TESTED | <br>Filtration<br>NOT TESTED | <br>Water Activity<br>NOT TESTED | <br>Moisture<br>NOT TESTED | <br>Homogeneity Testing<br>NOT TESTED | <br>Terpenes<br>NOT TESTED |
|--|--|--|--|--|---|--|--|---|--|

**Cannabinoid** TESTED



|      | CBDV  | CBDVA | CBG   | CBD    | CBDA   | THCV  | CBGA  | CBN   | D9-THC | D8-THC | THCVA | CBC    | THCA   | CBCA  |
|------|-------|-------|-------|--------|--------|-------|-------|-------|--------|--------|-------|--------|--------|-------|
| %    | <LOQ  | <LOQ  | <LOQ  | 0.4589 | 0.0164 | <LOQ  | <LOQ  | <LOQ  | 0.0107 | <LOQ   | <LOQ  | 0.0304 | 0.0149 | <LOQ  |
| mg/g | <LOQ  | <LOQ  | <LOQ  | 4.589  | 0.164  | <LOQ  | <LOQ  | <LOQ  | 0.107  | <LOQ   | <LOQ  | 0.304  | 0.149  | <LOQ  |
| LOQ  | 0.002 | 0.002 | 0.002 | 0.002  | 0.002  | 0.002 | 0.002 | 0.002 | 0.002  | 0.002  | 0.002 | 0.002  | 0.002  | 0.002 |
| %    | %     | %     | %     | %      | %      | %     | %     | %     | %      | %      | %     | %      | %      | %     |

Analyzed by: 540, 14, 11, 12      Weight: 1.034g      Extraction date: 09/16/22 14:56:16      Extracted by: 14

Analysis Method : SOP.T.40.020, SOP.T.30.050      Reviewed On : 09/19/22 14:09:08  
 Analytical Batch : CE001416POT      Batch Date : 09/16/22 14:47:48  
 Instrument Used : HPLC 2030 EID 005 - Low Concentration  
 Running on : N/A

Dilution : 80  
 Reagent : 090222.R01; 091222.R03; 120920.02  
 Consumables : 11/21/25; 210408; 2210449; ASC000G11324BSF; 12455 - 202CD - 202C; 101CA 101AL; 046C6-046H; 00312590-5 0032165-6 00323608-5 282851; 2132 81421  
 Pipette : Gilson Positive Displacement 100-1000ul EID: 0152; Fisherbrand Elite 100-1000ul EID: 0179; VWR 20-200ul EID: 0182

\*Total THC\* and \*Total CBD\* are calculated values and are an Oregon reporting requirement (OAR 333-064-0100). For Cannabinoid analysis, only delta-9-THC, delta-8-THC, THCA, CBD, CBDA are ORELAP accredited analytes. Cannabinoid values reported for plant matter are dry weight corrected; Instrument LOQ for all cannabinoids is 0.5 ug/mL, LOQ is reported 'in matrix' and dependent on extraction parameters. FD = Field Duplicate; LOQ = Limit of Quantitation, ND= Not Detected

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. Laboratory reports are for informational use only, unless indicated otherwise. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on OAR 333-007, OAR 845-025.

**Anthony Smith**  
Lab Director  
State License # 010-10166277B9D  
ISO Accreditation # 99861



09/20/22  
Signed On

Signature



# POTENCY BATCH QC REPORT

 **METHOD BLANK**

| Cannabinoid | LOQ   | Result | Units |
|-------------|-------|--------|-------|
| D9-THC_WET  | 0.002 | 0      | %     |
| THCA_WET    | 0.002 | 0      | %     |
| CBD_WET     | 0.002 | 0      | %     |
| CBDA_WET    | 0.002 | 0      | %     |
| CBN_WET     | 0.002 | 0      | %     |
| CBDV_WET    | 0.002 | 0      | %     |
| D8-THC_WET  | 0.002 | 0      | %     |
| THCV_WET    | 0.002 | 0      | %     |
| CBG_WET     | 0.002 | 0      | %     |
| CBGA_WET    | 0.002 | 0      | %     |
| CBC_WET     | 0.002 | 0      | %     |
| CBDVA_WET   | 0.002 | 0      | %     |
| THCVA_WET   | 0.002 | 0      | %     |
| CBC-A_WET   | 0.002 | 0      | %     |

**Analytical Batch - CE001416POT**  
**Instrument Used : HPLC 2030 EID 005 - Low Concentration**

 **LCS**

| Cannabinoid | LOQ   | Recovery | Units | Recovery Limits |
|-------------|-------|----------|-------|-----------------|
| CBG_WET     | 0.002 | 101.9    | %     | 80-120          |
| CBD_WET     | 0.002 | 102      | %     | 90-110          |
| CBDA_WET    | 0.002 | 102.6    | %     | 90-110          |
| CBGA_WET    | 0.002 | 103.5    | %     | 80-120          |
| CBN_WET     | 0.002 | 101.9    | %     | 80-120          |
| D9-THC_WET  | 0.002 | 103.2    | %     | 90-110          |
| D8-THC_WET  | 0.002 | 97.3     | %     | 90-110          |
| CBC_WET     | 0.002 | 104.3    | %     | 80-120          |
| THCA_WET    | 0.002 | 96.9     | %     | 90-110          |

**Analytical Batch - CE001416POT**  
**Instrument Used : HPLC 2030 EID 005 - Low Concentration**



## Certificate of Analysis

Green Earth Medicinals  
 2305 Ashland St, Suite C360  
 Ashland, OR 97520  
 Phone: 888-620-1110  
 Email: [Compliance@indomira.com](mailto:Compliance@indomira.com)

Invoice Number: 22.0615  
 PO Number: 09/15/22  
 Received Date: 09/19/2022  
 Number of Samples: 01  
 Project Name: Routine Testing

### Microbiology Report:

|                                       |                       |                         |
|---------------------------------------|-----------------------|-------------------------|
| Lab #: 22-8636                        | Sample Lot: TCC-22804 | Sample Date: 09/15/2022 |
| Sample Name: CBD Relief Topical Cream | Additional ID:        | Plated Date: 09/19/2022 |
| Qualifying Material Number: No QM     |                       |                         |

| Test Performed            | Results | Units | Detection Limit | Method            | Date Analyzed |
|---------------------------|---------|-------|-----------------|-------------------|---------------|
| Aerobic Plate Count       | <10     | cfu/g | 10              | USP 43-NF 38 <61> | 09/22/2022    |
| Coliforms                 | <10     | cfu/g | 10              | Bam C4 sec G      | 09/20/2022    |
| <i>E. coli</i>            | absent  | P/A   | 1               | USP 43-NF 38 <62> | 09/22/2022    |
| <i>Staph aureus</i>       | absent  | P/A   | 1               | USP 43-NF 38 <62> | 09/22/2022    |
| Yeast                     | <10     | cfu/g | 10              | USP 43-NF 38 <61> | 09/24/2022    |
| Mold                      | <10     | cfu/g | 10              | USP 43-NF 38 <61> | 09/24/2022    |
| Salmonella                | absent  | P/A   | 1               | USP 43-NF 38 <62> | 09/23/2022    |
| <i>Pseudo. aeruginosa</i> | absent  | P/A   | 1               | USP 43-NF 38 <62> | 09/22/2022    |

**Approved By: QA Director SMV 09/26/2022**

**Confidential**

Page 1 of 2

This Certificate/Report shall not be reproduced, except in full, without the prior written consent of KML Laboratories, Inc.

This report may include work not covered by KML's current ISO accreditation as indicated by ‡.

**Note:** On this date, this material met the specifications designated above, and is **not known if statistically representative of the lot evaluated on a routine basis**. This information is not intended to relieve the purchaser from its responsibility to determine the suitability of this material for purchaser's purposes, to comply with all laws and regulations regarding the safe use of this material. nd = none detected above the listed detection limit





## Certificate of Analysis

Green Earth Medicinals  
 2305 Ashland St, Suite C360  
 Ashland, OR 97520  
 Phone: 888-620-1110  
 Email: [Compliance@indomira.com](mailto:Compliance@indomira.com)


Invoice Number: 22.0615  
 PO Number: 09/15/22  
 Received Date: 09/19/2022  
 Number of Samples: 01  
 Project Name: Routine Testing

### Microbiology Report:

|                                       |  |                         |
|---------------------------------------|--|-------------------------|
| Lab #: Control 09192022               | Additional ID: Negative Control Purposes | Plated Date: 09/19/2022 |
| Sample Name: Control 09192022         |  |                         |
| Qualifying Material Number: QM-06-001 |  |                         |

| Test Performed            | Results | Units  | Detection Limit | Method            | Date Analyzed |
|---------------------------|---------|--------|-----------------|-------------------|---------------|
| Aerobic Plate Count       | nd      | cfu/ml | 10              | USP 43-NF 38 <61> | 09/22/2022    |
| Coliforms                 | nd      | cfu/ml | 10              | Bam C4 sec G      | 09/20/2022    |
| <i>E. coli</i>            | absent  | P/A    | 1               | USP 43-NF 38 <62> | 09/22/2022    |
| <i>Staph aureus</i>       | absent  | P/A    | 1               | USP 43-NF 38 <62> | 09/22/2022    |
| Yeast                     | nd      | cfu/ml | 10              | USP 43-NF 38 <61> | 09/24/2022    |
| Mold                      | nd      | cfu/ml | 10              | USP 43-NF 38 <61> | 09/24/2022    |
| Salmonella                | absent  | P/A    | 1               | USP 43-NF 38 <62> | 09/23/2022    |
| <i>Pseudo. aeruginosa</i> | absent  | P/A    | 1               | USP 43-NF 38 <62> | 09/22/2022    |

**Approved By: QA Director SMV 09/26/2022**



**Confidential**

This Certificate/Report shall not be reproduced, except in full, without the prior written consent of KML Laboratories, Inc.

This report may include work not covered by KML's current ISO accreditation as indicated by ‡.

**Note:** On this date, this material met the specifications designated above, and is **not known if statistically representative of the lot evaluated on a routine basis**. This information is not intended to relieve the purchaser from its responsibility to determine the suitability of this material for purchaser's purposes, to comply with all laws and regulations regarding the safe use of this material. nd = none detected above the listed detection limit

